

HYDRON INCORPORATED

BUCKLITE TITANIUM CLIMBER



CLIMBING/FALL
PROTECTION
EQUIPMENT & PPE



Titanium Replaceable Pole Climber Offset Stirrup

This climber features a 1 5/8" length gaff that can be easily changed out with the aid of an Allen wrench. A 4 1/2" wide offset stirrup adds to the comfort.

Number	Foot Strap	Leg Strap	Pad
TB9409A	-	-	-
TB9408A	Leather 21341	-	-
TB94089A	Nylon 21391	-	-
▲TB9405A	Leather 21341	Leather 2234	3122
▲TB94059A	Nylon 21391	Nylon 2239	3122
▲TB94050CA	Leather 21341	Not Required	3500C
▲TB940590CA	Nylon 21391	Not Required	3500C

▲Complete Sets

TB94059A



TB814290R



Buckingham has developed the TITANIUM CLIMBER to provide strength, light weight and comfort for total confidence while climbing. Laboratory tests have proven the Titanium Climber will provide years of service. The benefit of titanium is it's as strong as steel and lighter than aluminum. A perfect combination for climbers.

Benefits:

- Lightest climber available, 11% lighter than aluminum
Titanium 3 lbs., 1.8 oz.
Aluminum 3 lbs., 7.7 oz.
- Strong as steel, stronger and lighter than aluminum
- Stainless steel Allen screws for easy gaff change out
- Accepts climber foot plate
- 16° gaff angle (replaceable gaff models)

Options:

- Offset or straight stirrup
- Long or standard sleeve
- Available with twisted shank
Add 'T' to catalog number



Titanium Permanent Tree Climber Straight Stirrup

This climber is the titanium version of our most popular selling permanent tree climber. The benefits of titanium is that it's as strong as steel and a full 1 1/2 lbs. per pair lighter

Number	Foot Strap	Leg Strap	Pad
TB9142R	-	-	-
TB91428R	Leather 21351	-	-
TB91429R	Nylon 213591	-	-
▲TB8142R	Leather 21351	Leather 2235	3122
▲TB81429R	Nylon 213591	Nylon 22359	3122
▲TB81420CR	Leather 21351	Not Required	3500C
▲TB814290CR	Nylon 213591	Not Required	3500C

▲Complete Sets

Note: Above have contoured shank (Buckingham standard). For non-contoured shank (Bashlin style) eliminate 'B' from second digit.

273 Weymouth Street, Rockland, MA 02370
Phone 781-871-1920 • Fax 781-878-1507 • www.hydrone.com

HYDRON INCORPORATED

BUCKLITE TITANIUM CLIMBER



Titanium Permanent Pole Climber Offset Stirrup

This climber features a 1 5/8" length pole gaff. A 4 1/2 " wide offset stirrup adds to the comfort. Contoured shank accommodates outward projection of ankle bone.

Number	Foot Strap	Leg Strap	Pad
TB9747	-	-	-
TB9847	Leather 21341	-	-
TB98479	Nylon 21391	-	-
▲TB8747	Leather 21341	Leather 2234	3122
▲TB87479	Nylon 21391	Nylon 2239	3122
▲TB87470C	Leather 21341	Not Required	3500C
▲TB874790C	Nylon 21391	Not Required	3500C

▲Complete Sets



Titanium Permanent CCA Pole Climber Offset Stirrup

This climber features a 1 5/8" length CCA gaff. A 4 1/2 " wide offset stirrup adds to the comfort. Contoured shank accommodates outward projection of ankle bone.

Number	Foot Strap	Leg Strap	Pad
TB9107	-	-	-
TB91078	Leather 21341	-	-
TB91079	Nylon 21391	-	-
▲TB8105	Leather 21341	Leather 2234	3122
▲TB81059	Nylon 21391	Nylon 2239	3122
▲TB81050C	Leather 21341	Not Required	3500C
▲TB810590C	Nylon 21391	Not Required	3500C

▲Complete Sets

Titanium Replaceable CCA Pole Climber Offset Stirrup

This climber features a 1 1/2" length CCA gaff. The gaff can be easily changed out with an Allen wrench. Contoured and non-contoured shank available.

Number	Foot Strap	Leg Strap	Pad
TB9109	-	-	-
TB9108	Leather 21341	-	-
TB91089	Nylon 21391	-	-
▲TB9105	Leather 21341	Leather 2234	3122
▲TB91059	Nylon 21391	Nylon 2239	3122
▲TB91050C	Leather 21341	Not Required	3500C
▲TB910590C	Nylon 21391	Not Required	3500C

▲Complete Sets

Note: Above are supplied with Buckingham standard 12° angle gaff. For 16° angle gaff add 'A' to end of part number.

Note: Above have contoured shank (Buckingham standard). For non-contoured shank (Bashlin style) eliminate 'B' from second digit.

273 Weymouth Street, Rockland, MA 02370
Phone 781-871-1920 • Fax 781-878-1507 • www.hydrone.com

HYDRON INCORPORATED

BUCKLITE TITANIUM CLIMBER AND GAFF OPTIONS

Titanium Replaceable Tree Climber Offset Stirrup


This climber features a 2 3/4" length tree gaff. The gaff can be easily changed out with an Allen wrench.



Number	Foot Strap	Leg Strap	Pad
TB9509	-	-	-
TB9508	Leather 21341	-	-
TB95089	Nylon 21391	-	-
▲TB9505	Leather 21341	Leather 2234	3122
▲TB95059	Nylon 21391	Nylon 2239	3122
▲TB950590C	Leather 21341	Not Required	3500C
▲TB950590C	Nylon 21391	Not Required	3500C

▲Complete Sets

Replaceable Gaffs – Screw Style



T9206A
Standard gaff 16°
non-contoured shank



TB9206
Standard gaff 12°
contoured shank



TB9106
CCA gaff 12°
contoured shank



TB9206A
Standard gaff 16°
contoured shank



T9106A
CCA gaff 16°
non-contoured shank



TB9106A
CCA gaff 16°
contoured shank

Replacement gaff kits include 1 pair of gaffs, 4 stainless steel 5/32" Allen wrench screws, Allen wrench and instructions.

For pin style replaceable gaffs see page 8.

273 Weymouth Street, Rockland, MA 02370
Phone 781-871-1920 • Fax 781-878-1507 • www.hydrone.com