


# HYDRON INCORPORATED

## INSULATING BLANKETS

Rubber insulating blankets offer excellent personal protection in the event of accidental contact with line hardware. Manufactured to high quality standards, fully tested and subjected to thorough inspections to assure material purity, consistency and flexibility. Available in black natural rubber (Type-1) for use where ozone concentrations are low, and in either orange or black synthetic EPDM rubber (Type-2) for use on high voltage circuits. Three sizes: 22 x 22 inch, 27 x 36 inch and 36 x 36 inch in both slotted and solid designs.



**Solid Insulating Blanket**



**Slotted Insulating Blanket**



### How to Order

**Example:** If you want an insulating blanket 36" x 36", with a Class 4 rating, orange and slotted, the correct part number would be:

3636	40	O	SL
Size	Proof Test	Color Voltage	Style
2222 (22"x 22")	20-Class 2 (20kV)	B-Black	SO-Solid
2736 (27" x 36")	40-Class 4 (40kV)	O-Orange	SL-Slotted
3636 (36" x 36")			

### Blanket Clamping Pins

No.	Description
<b>BP-1</b>	8" Non-Coated Hardwood
<b>BP-2</b>	8" Coated Hardwood
<b>BP-3</b>	12" Plain, Nylon Reinforced
<b>BP-4</b>	12" Nylon Reinforced with Grip All
<b>BP-5</b>	8" Nylon Reinforced




### Blanket Containers

No.	Description
<b>BC-3</b>	Without Handle, hold 3 blankets, Yellow Molded Plastic
<b>BC-6</b>	With Handle, holds 6 blankets, Yellow Molded Plastic
<b>BR-1</b>	Blanket Roll

## INSUCLEAR SL1040™

Used as a covering in conjunction with insulating gloves for the protection of personnel working on or near energized conductors and equipment. The material can be cut into various shapes and sizes to fulfill a variety of job requirements. The full width can be used to cover large areas or objects. Each roll is tested per ASTM F-1742. Insuclear™ is 40 mil thick transparent polyvinyl chloride (PVC), 48" wide, and 50 feet long.



No.	Description	Weight
<b>SL0040</b>	Class 0, 5kV proof test, 1kV maximum use	50 lbs.
<b>SL1040</b>	Class 1, 10kV proof test, 7.5kV maximum use	50 lbs.
<b>SL1040B</b>	Container/Dispenser	4 lbs.

320 Libbey Industrial Parkway, Weymouth, Massachusetts 02189  
Phone 781-331-5500 • Fax 781-331-5508 • www.hydrone.com