

# HYDRON INCORPORATED

## BUCKLITE TITANIUM CLIMBER AND GAFF OPTIONS

### Titanium Replaceable Tree Climber Offset Stirrup

This climber features a 2 3/4" length tree gaff. The gaff can be easily changed out with an Allen wrench.



Number	Foot Strap	Leg Strap	Pad
TB9509	-	-	-
TB9508	Leather 21341	-	-
TB95089	Nylon 21391	-	-
▲TB9505	Leather 21341	Leather 2234	3122
▲TB95059	Nylon 21391	Nylon 2239	3122
▲TB950590C	Leather 21341	Not Required	3500C
▲TB950590C	Nylon 21391	Not Required	3500C

▲Complete Sets

### Replaceable Gaffs – Screw Style



**T9206A**  
Standard gaff 16°  
non-contoured shank



**TB9206**  
Standard gaff 12°  
contoured shank



**TB9106**  
CCA gaff 12°  
contoured shank



**TB9206A**  
Standard gaff 16°  
contoured shank



**T9106A**  
CCA gaff 16°  
non-contoured shank



**TB9106A**  
CCA gaff 16°  
contoured shank


Replacement gaff kits include 1 pair of gaffs, 4 stainless steel 5/32" Allen wrench screws, Allen wrench and instructions.  
For pin style replaceable gaffs see page 8.

273 Weymouth Street, Rockland, MA 02370  
Phone 781-871-1920 • Fax 781-878-1507 • [www.hydroninc.com](http://www.hydroninc.com)

# HYDRON INCORPORATED

## CLIMBER OPTIONS

### REPLACEABLE GAFF ATTACHMENT OPTIONS



*New screw type replaceable gaff.*

**Pin Style Replaceable Gaff:** Available on all steel replaceable gaff climbers.




*Detail of replaceable gaffs 9206, 9306*

**Screw Style Replaceable Gaff:** Available on Titanium replaceable gaff climbers and for Steel replaceable climbers. To order a steel climber with screw style replaceable gaffs add 'SB' as a prefix to the steel climber part number.  
E.g.: SB94059.



### Straight Stirrup versus Offset Stirrup (Designated in 2nd digit of model number)




*Straight*

*Offset*

The Straight Stirrup climber style has a tendency to support the user's foot further back on the base of the arch.

The Offset Stirrup climber style places the stirrup in the center of the user's arch.

### Twisted Shank versus Straight Shank



*Twisted Shank*

*Straight Shank*

The Twisted Shank is designed so the climber follows the contour of the user's calf muscle when worn in the middle of the leg or if the user has a large calf muscle. The Twisted Shank will be available on any style climber by adding the suffix 'T' to the model number. An example of the Twisted Shank climber, model TB9409AT.

The Straight Shank is designed so the shank is flat from the top of the climber through the stirrup. For Straight Shank climber, do not add suffix 'T' to model number, example, TB9409A.

### Cleated Climbers




2 threaded replaceable cleat like logger spikes in the stirrup of the climber for traction climbing in wet & in damp conditions. Sold with 12 replacement cleats & wrench. To order, add an 'S' suffix to the climber number.

**273 Weymouth Street, Rockland, MA 02370**  
**Phone 781-871-1920 • Fax 781-878-1507 • www.hydroninc.com**

# HYDRON INCORPORATED

## CCA GAFFS

**350lb.  
RATED**



**C.C.A. Gaff** - The utility pole widely accepted and used today is salt treated. Through the years, linemen have had difficulty climbing salt treated poles because conventional gaffs did not work efficiently.

Buckingham Manufacturing, in conjunction with Koppers, developed a gaff to make gaff penetration easier. The method in which the gaff penetrates is through expansion and relief, much like a serrated knife (see diagram). The C.C.A. gaff is available in permanent and replacement styles.

### Replaceable C.C.A. Gaff Pole Climbers (Offset)

- | No.    | Components Included  |
|--------|--|
| 9108   | Leather footstraps only (21341)                                |
| 91089  | Nylon footstraps only (21391)                                  |
| ▲9105  | Leather foot (21341) and leg straps (2234) with 'L' pad (3122) |
| ▲91059 | Nylon foot (21391) and leg straps (2239) with 'L' pad (3122)   |

▲Complete Sets

Note: Add 'SB' to part number for screw type replaceable gaffs

### C.C.A. Permanent Gaff Pole Climbers (Offset)

- | No.    | Components Included  |
|--------|--|
| 91078  | Leather footstraps only (21341)  |
| 91079  | Nylon footstraps only (21391)  |
| ▲8105  | Leather foot (21341) and leg straps (2234) with leather 'L' pad (3122) |
| ▲81059 | Nylon foot (21391) and leg straps (2239) with leather 'L' pad (3122)   |

## REPLACEABLE GAFFS - PIN STYLE

- 9106 1 11/16" C.C.A. pole gaff designed to penetrate the hardest poles with ease
- 9206 1 3/4" pole gaffs as supplied on pole climbers 9408
- 9306 2 11/16" tree gaffs as supplied on tree climbers 9508



**9106**  
**Patented**



**9206**



**9306**

For screw style replaceable gaffs see page 5.

## GAFF PROTECTORS


**60091**



**6909U**



**6909**



6909 Plastic coated spring type clip-ons protect gaffs from damage and from damaging equipment in tool bags. For permanent gaff pole climbers only.

6909U A wire coated gaff guard designed to fit all manufacturers of permanent and replaceable pole climbers.

60091 Double acting velcro straps hold these slip-on leather protectors in place. Fit either pole or tree gaffs.

60092 Double acting velcro—fits pole gaff only.

60093 Bungee cord attaches leather guard to gaff and then to sleeve loop (not illustrated).

**273 Weymouth Street, Rockland, MA 02370**  
**Phone 781-871-1920 • Fax 781-878-1507 • www.hydroninc.com**